AUTHOR INDEX

Adachi, G., L17
Andersson-Söderberg, M., L13

Bakonyi, I., 199
Banki, P., 199
Bastasz, R., 97
Bernards, T. N. M., 327
de Boer, F. R., 91
Bolmgren, H., L25
Boonstra, A. H., 327
Buschow, K. H. J., 173, L1
Button, T. W., 205

Chen, B., 343
Chen, F. L., 191
Chen, X., 147
Chuang, Y. C., 91
Chung, U.-I., 59
Costantino, M. S., 97
Czeppe, T., L5

Dazord, J., 75
Devi, M. U., 13
Döttinger, S., 261

Ehmann, A., 337
van Engelen, P. P. J., L1

Fitzner, K., 35
Forkel, W., 261
Franzen, H. F., 343
Fries, T., 337
Fu, T., 69
Furukawa, M., 191

Gastaldi, J., 53
Goto, T., 231
Graf, T., 349
Grange, G., 53
Gross, R., 261
Gubbens, P. C. M., 173
Gudat, A., L29
Guerin, R., 121
Gupta, K. P., 13
Gutau, W., 223

Haag, S., L29
Haneczok, G., 269
Hehmann, F., 237
Hirai, T., 231
Huebner, R. P., 261

Ishikawa, H., 127
Iwakura, C., 127
Iyer, P. N., 1

Jacobs, H., 315
Jacobs, T. H., 173
Jain, I. P., 141
Jänichen, K., 315
Jiang, C.-C., 231
Jones, H., 237
Jourdan, C., 53

Kaczorowski, D., 121
Karas, M., 307
Kato, A., 127
Kemmler-Sack, S., 261, 337
Kniep, R., L29
Kojima, T., 299
Kölle, D., 261
Koneska, S., L9
van der Kraan, A. M., 173
Kuriyama, N., 127

Lakner, J. F., 97
Landsberg, A., 153, 163
Lee, J.-Y., 59
Liang, J., 147
Lippits, G. J. M., 327
Lösch, S., 261
Lundström, T., L25

Magomedbekov, E. P., 307
Masumoto, K., 299
Mavrodiev, G., L9
Mayer-von Kürthy, G., 337
McColm, I. J., 205
Mehta, M. L., 23
Meyer zu Reckendorf, R., 277, 291
Mine, K., 191
Miyake, M., 179
Miyamura, H., 127
Muller, J., 349
Müller-Buschbaum, Hk., 223

Natarajan, P. R., 1
Nishida, I., 299
Noël, H., 121

Oguro, K., 127
Okamoto, M. A., 299

Palenzona, A., L21
Pandey, J. L., 23
Pocsik, I., 199
Prakash, S., 23

Qiao, Z., 147

Rabenau, A., L29
Rabkin, E. I., 43

Sakaguchi, H., L17
Sakai, T., 127
Sakamoto, Y., 191
Schlichenmaier, M., 261
Schmidt, P. C., 277, 291
Schöll, C., 261
Schone, H. E., 199
Shirai, H., L17
Shvindlerman, L. S., 43
Sicking, G. H., 307
Singh, M., 141
Sanmer, F., 237
Stoch, J., L5
Straumal, B. B., 43
Suda, S., 83, 109
Szytnta, A., L5, L9

Tompa, K., 199
Triscane, G., 349
Tróc, R., 121

Upadhyay, K. S., 141

Vijay, Y. K., 141

Wang, X.-L., 83, 109
Ward, J. M., 205
Weiss, A., 277, 291
Weller, M., 269
Werner, A., 199
Wischert, W., 337
Wu, C. H., 91
Wypartowicz, J., 35

Xie, S., 147

Yamanaka, S., 179

Zeng, X., 69
Zhang, Z. D., 91
Zheng, C., 69
Zhong, X. P., 91

SUBJECT INDEX

Activation energy
  activation energy of obliquely deposited FeTi and FeTiH_x thin films, 141
Aluminium
  ^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si), 173
  dehydriding kinetic study of $LaNi_{4.7}Al_{0.3}$ hydride by a step-wise method, 83
  effects of varying the zirconium concentration and 1 wt.% Y on high temperature oxidation of Fe–15wt.%Cr–4wt.%Al alloy under isothermal and cyclic conditions, 23
  hydrogen-supported formation of G phase $Cu_{16}Zr_6Al_7$ in the ternary system Cu–Zr–Al, 291
  photoelectron spectroscopy study of Cu_2MnAl Heusler alloys, L5
  preparation and crystal structure of tetraamido aluminates of rubidium and cesium, $Rb[Al(NH_2)_4]$ and $Cs[Al(NH_2)_4]$, 315
  structure and magnetic properties of $Y_2(Fe_{1-x}Al_x)_{14}B$ compounds, 91
  study of the hydriding kinetics of $LaNi_{4.7}Al_{0.3}$–H system by a step-wise method, 109
Amorphous alloys
  proton T_1 and diffusion in $(Ni_{0.5}Zr_{0.5})_{0.95}P_{0.05}H_{0.54}$ and $(Ni_{0.5}Zr_{0.5})_{0.93}P_{0.07}H_{0.58}$ amorphous alloys, 199
Anode performance
  influence of small amounts of added elements on various anode performance characteristics of $LaNi_{2.5}Co_{2.5}$-based alloys, 127
Arsenic
  crystal structure of $UNi_{1.6}As_2$, 121

Barium
  existence of $Ba_8Pt_4Y_3O_{17.5}$ types. A study of $Ba_8Pt_4Sc_3O_{17.5}$ and $Ba_8Pt_4Tb_3O_{17.5}$, 223
  on the crystal structure of BaNiN, a low valency nitridoniccolate(I), L29
  variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_x$, 349
Bismuth
  high T_c phase ($n = 3$) in the Bi–Pb–Sr–Ca–Cu–O system, 261
  system $BiPbSr_2Fe_{1-x}T_xO_{6+z}$ (T = Co, Ni), 337
Borides
  new binary boride, Nb_5B_6, L25
Boron
  new binary boride, Nb_5B_6, L25
  note on the magneto-optical properties of Fe_3X compounds (X = B, P, Ge, Sn), L1
  on the texture of Nd–Fe–B permanent magnets, 69
  phase equilibria in the Re–Fe–B system at 1000 °C, 13
  structure and magnetic properties of $Y_2(Fe_{1-x}Al_x)_{14}B$ compounds, 91

Calcium
  high T_c phase ($n = 3$) in the Bi–Pb–Sr–Ca–Cu–O system, 261
Carbides
  thermodynamic analysis for the chemical vapour deposition of non-stoichiometric titanium carbides, 231
Cesium
  preparation and crystal structure of tetraamido aluminates of rubidium and cesium, $Rb[Al(NH_2)_4]$ and $Cs[Al(NH_2)_4]$, 315
Chemical vapour deposition
  thermodynamic analysis for the chemical vapour deposition of non-stoichiometric titanium carbides, 231
Chlorination
  chlorination kinetics of rhenium, rhodium and iridium, 153
  chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt), 163
Chromium
  effects of varying the zirconium concentration and 1 wt.% Y on high temperature oxidation of Fe–15wt.%Cr–4wt.%Al alloy under isothermal and cyclic conditions, 23
Cobalt
  formation of β-$FeSi_2$ from the sintered

eutectic alloy FeSi–Fe_2Si_5 doped with cobalt, 299
influence of small amounts of added elements on various anode performance characteristics for $LaNi_{2.5}Co_{2.5}$-based alloys, 127
system $BiPbSr_2Fe_{1-x}T_xO_{6+z}$ (T = Co, Ni), 337
thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn, L9
Copper
high T_c phase ($n = 3$) in the Bi–Pb–Sr–Ca–Cu–O system, 261
hydrogen-supported formation of G phase $Cu_{10}Zr_6Al_7$ in the ternary system Cu–Zr–Al, 291
photoelectron spectroscopy study of Cu_2MnAl Heusler alloys, L5
ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility, 277
thermodynamic treatment of the Nd_2O_3–CuO binary system, 147
variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_x$, 349
Crystallographic properties
variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_x$, 349

Dehydriding
dehydriding kinetic study of $LaNi_{4.7}Al_{0.3}$ hydride by a step-wise method, 83
Deuterium
synthesis of monolithic uranium hydride and uranium deuteride, 97
Differential scanning calorimetry
differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases, 59
Diffusion reaction
reactive diffusion of water in silica glass: implications of the classic model, 75
Double sulphates
double sulphates of Pu^{III} and some lanthanides with ammonium, 1

Erbium
phase diagram of the Er–Ru system, L21

Gadolinium
differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases, 59
Gallium
^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si), 173
Germanium
chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt), 163
diffusion of indium along [001] Sn–Ge interphase boundaries: Prewetting phase transition and critical phenomena, 43
note on the magneto-optical properties of Fe_3X compounds (X = B, P, Ge, Sn), L1
Gold
chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt), 163

Heusler alloys
photoelectron spectroscopy study of Cu_2MnAl Heusler alloys, L5
thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn, L9
Heusler phase
ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility, 277
Hydrides
dehydriding kinetic study of $LaNi_{4.7}Al_{0.3}$ hydride by a step-wise method, 83
synthesis of monolithic uranium hydride and uranium deuteride, 97
Hydriding
study of the hydriding kinetics of $LaNi_{4.7}Al_{0.3}$–H system by a step-wise method, 109
Hydrogen
differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases, 59
Hydrogen absorption
X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys, 191
Hydrogen isotope separation
determination of hydrogen isotope separation factors on a microscopic scale by laser desorption, 307

Hydrogen penetration
hydrogen penetration into amorphous V_2O_5 through a $LaNi_5$ thin film, L17
Hydrogen solubility
ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility, 277

Indium
activity of oxygen in a dilute solution of phosphorus in liquid indium, 35
diffusion of indium along [001] Sn–Ge interphase boundaries: Prewetting phase transition and critical phenomena, 43
solid phase equilibria in the Fe–In–P system, L13
thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn, L9
Internal friction spectra
analysis of internal friction spectra caused by Snoek-type relaxations, 269
Iridium
chlorination kinetics of rhenium, rhodium and iridium, 153
second-order phase transition in $V_{0.54}Ir_{0.46}$, 343

Lanthanides
double sulphates of Pu^{III} and some lanthanides with ammonium, 1
Lanthanum
dehydriding kinetic study of $LaNi_{4.7}Al_{0.3}$ hydride by a step-wise meth- , 83
hydrogen penetration into amorphous V_2O_5 through a $LaNi_5$ thin film, L17
study of the hydriding kinetics of $LaNi_{4.7}Al_{0.3}$–H system by a step-wise method, 109
influence of oxidation upon the storage capacity of $LaNi_5$ electrodes, 327
influence of small amounts of added elements on various anode performance characteristics for $LaNi_{2.5}Co_{2.5}$-based alloys, 127
Laser desorption
determination of hydrogen isotope separation factors on a microscopic scale by laser desorption, 307
Lasers
determination of hydrogen isotope separation factors on a microscopic scale by laser desorption, 307
Laves phases
differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases, 59
Lead
high T_c phase ($n = 3$) in the Bi–Pb–Sr–Ca–Cu–O system, 261
system $BiPbSr_2Fe_{1-x}T_xO_{6+z}$ (T = Co, Ni), 337
Lutetium
X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys, 191

Magnesium
transformation behaviour of the rapidly solidified solid solution of yttrium in magnesium, 237
Magnetic properties
^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si), 173
structure and magnetic properties of $Y_2(Fe_{1-x}Al_x)_{14}B$ compounds, 91
Magneto-optical properties
note on the magneto-optical properties of Fe_3X compounds (X = B, P, Ge, Sn), L1
Manganese
photoelectron spectroscopy study of Cu_2MnAl Heusler alloys, L5
thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn, L9
Molybdenum
chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt), 163
Mössbauer effect
^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si), 173

Neodymium
differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases, 59
on the texture of Nd–Fe–B permanent magnets, 69
thermodynamic treatment of the Nd_2O_3–CuO binary system, 147
Nickel
crystal structure of $UNi_{1.6}As_2$, 121

dehydriding kinetic study of $LaNi_{4.7}Al_{0.3}$ hydride by a step-wise method, 83
hydrogen penetration into amorphous V_2O_5 through a $LaNi_5$ thin film, L17
influence of oxidation upon the storage capacity of $LaNi_5$ electrodes, 327
influence of small amounts of added elements on various anode performance characteristics for $LaNi_{2.5}Co_{2.5}$-based alloys, 127
on the crystal structure of BaNiN, a low valency nitridoniccolate(I), L29
proton T_1 and diffusion in $(Ni_{0.5}Zr_{0.5})_{0.95}P_{0.05}H_{0.54}$ and $(Ni_{0.5}Zr_{0.5})_{0.93}P_{0.07}H_{0.58}$ amorphous alloys, 199
study of the hydriding kinetics of $LaNi_{4.7}Al_{0.3}$–H system by a step-wise method, 109
system $BiPbSr_2Fe_{1-x}T_xO_{6+z}$ (T = Co, Ni), 337

Oxidation
effects of varying the zirconium concentration and 1 wt.% Y on high temperature oxidation of Fe–15wt.%Cr–4wt.%Al alloy under isothermal and cyclic conditions, 23
influence of oxidation upon the storage capacity of $LaNi_5$ electrodes, 327
Oxygen
activity of oxygen in a dilute solution of phosphorus in liquid indium, 35
variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_x$, 349

Palladium
X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys, 191
Permanent magnets
on the texture of Nd–Fe–B permanent magnets, 69
Phase diagrams
phase diagram of the Er–Ru system, L21
ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility, 277
Phase equilibria
phase equilibria in the Re–Fe–B system at 1000 °C, 13
Phase transformations
in situ investigation by synchrotron X-ray topography of titanium recrystallization induced by phase transformation, 53
Phase transitions
diffusion of indium along [001] Sn–Ge interphase boundaries: Prewetting phase transition and critical phenomena, 43
Phosphorus
activity of oxygen in a dilute solution of phosphorus in liquid indium, 35
note on the magneto-optical properties of Fe_3X compounds (X = B, P, Ge, Sn), L1
solid phase equilibria in the Fe–In–P system, L13
Photoelectron spectroscopy
photoelectron spectroscopy study of Cu_2MnAl Heusler alloys, L5

Platinum
chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt), 163
existence of $Ba_8Pt_4Y_3O_{17.5}$ types. A study of $Ba_8Pt_4Sc_3O_{17.5}$ and $Ba_8Pt_4Tb_3O_{17.5}$, 223
Plutonium
double sulphates of Pu^{III} and some lanthanides with ammonium, 1
Praseodymium
differential scanning calorimetry study of hydrogen-induced amorphization in $GdMn_2$, $PrMn_2$ and $NdMn_2$ Laves phases, 59

Rare earths
phase equilibria in the Re–Fe–B system at 1000 °C, 13
Rhenium
chlorination kinetics of rhenium, rhodium and iridium, 153
chlorination of binary alloys (Si–Ge, Mo–Re and Au–Pt), 163
Rhodium
chlorination kinetics of rhenium, rhodium and iridium, 153
Rubidium
preparation and crystal structure of tetraamido aluminates of rubidium and cesium, $Rb[Al(NH_2)_4]$ and $Cs[Al(NH_2)_4]$, 315
Ruthenium
phase diagram of the Er–Ru system, L21

Scandium
existence of $Ba_8Pt_4Y_3O_{17.5}$ types. A study of $Ba_8Pt_4Sc_3O_{17.5}$ and $Ba_8Pt_4Tb_3O_{17.5}$, 223
Silica glass
reactive diffusion of water in silica glass: implications of the classic model, 75

Silicides
preparation of yttrium silicides and oxide–silicides, 205
Silicon
^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si), 173
formation of β-$FeSi_2$ from the sintered eutectic alloy FeSi–Fe_2Si_5 doped with cobalt, 299
Sintered eutectic alloy
formation of β-$FeSi_2$ from the sintered eutectic alloy FeSi–Fe_2Si_5 doped with cobalt, 299
Snoek-type relaxation
analysis of internal friction spectra caused by Snoek-type relaxations, 269
Solid phase equilibria
solid phase equilibria in the Fe–In–P system, L13
Solid solutions
transformation behaviour of the rapidly solidified solid solution of yttrium in magnesium, 237
Spin lattice relaxation
proton T_1 and diffusion in $(Ni_{0.5}Zr_{0.5})_{0.95}P_{0.05}H_{0.54}$ and $(Ni_{0.5}Zr_{0.5})_{0.93}P_{0.07}H_{0.58}$ amorphous alloys, 199
Strontium
high T_c phase ($n = 3$) in the Bi–Pb–Sr–Ca–Cu–O system, 261
system $BiPbSr_2Fe_{1-x}T_xO_{6+z}$ (T = Co, Ni), 337
Superconductivity
variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_z$, 349
Synchrotron X-ray topography
in situ investigation by synchrotron X-ray topography of titanium recrystallization induced by phase transformation, 53

Tellurium
study of the ternary Ti–Te–O system, 179
Terbium
existence of $Ba_8Pt_4Y_3O_{17.5}$ types. A study of $Ba_8Pt_4Sc_3O_{17.5}$ and $Ba_8Pt_4Tb_3O_{17.5}$, 223
X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys, 191
Thermal expansion
thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn, L9
Thin films
activation energy of obliquely deposited FeTi and $FeTiH_x$ thin films, 141
hydrogen penetration into amorphous V_2O_5 through a $LaNi_5$ thin film, L17
Thulium
^{57}Fe and ^{169}Tm Mössbauer effect and magnetic properties of $Tm_2Fe_{15}M_2$ (M = Al, Ga, Si), 173
X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys, 191
Tin
diffusion of indium along [001] Sn–Ge interphase boundaries: Prewetting phase transition and critical phenomena, 43
note on the magneto-optical properties of Fe_3X compounds (X = B, P, Ge, Sn), L1
Titanium
activation energy of obliquely deposited FeTi and $FeTiH_x$ thin films, 141
in situ investigation by synchrotron X-ray topography of titanium recrystallization induced by phase transformation, 53
study of the ternary Ti–Te–O system, 179
ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility, 277
thermodynamic analysis for the chemical vapour deposition of non-stoichiometric titanium carbides, 231

Uranium
crystal structure of $UNi_{1.6}As_2$, 121
synthesis of monolithic uranium hydride and uranium deuteride, 97

Vanadium
hydrogen penetration into amorphous V_2O_5 through a $LaNi_5$ thin film, L17
second-order phase transition in $V_{0.54}Ir_{0.46}$, 343

X-ray studies
X-ray studies of the absorption of hydrogen by palladium-rich Pd–(Tb, Tm, Lu) alloys, 191

Yttrium
effects of varying the zirconium concentration and 1 wt.% Y on high temperature oxidation of Fe–15wt.%Cr–4wt.%Al alloy under isothermal and cyclic conditions, 23
existence of $Ba_8Pt_4Y_3O_{17.5}$ types. A study of $Ba_8Pt_4Sc_3O_{17.5}$ and $Ba_8Pt_4Tb_3O_{17.5}$, 223
preparation of yttrium silicides and oxide–silicides, 205
structure and magnetic properties of $Y_2(Fe_{1-x}Al_x)_{14}B$ compounds, 91
transformation behaviour of the rapidly solidified solid solution of yttrium in magnesium, 237
variation of the superconducting and crystallographic properties and their relation to oxygen stoichiometry of highly homogeneous $YBa_2Cu_3O_x$, 349

Zirconium
effects of varying the zirconium concentration and 1 wt.% Y on high temperature oxidation of Fe–15wt.%Cr–4wt.%Al alloy under isothermal and cyclic conditions, 23
hydrogen-supported formation of G phase $Cu_{16}Zr_6Al_7$ in the ternary system Cu–Zr–Al, 291
proton T_{1r} and diffusion in $(Ni_{0.5}Zr_{0.5})_{0.95}P_{0.05}H_{0.54}$ and $(Ni_{0.5}Zr_{0.5})_{0.93}P_{0.07}H_{0.58}$ amorphous alloys, 199
ternary systems Cu–Ti–Al and Cu–Zr–Al around the Heusler phase composition Cu_2XAl (X = Ti, Zr): phase diagrams and hydrogen solubility, 277
thermal expansion anomalies in the Heusler alloys Cu_2MnAl, Ni_2MnSn, Co_2MnSn, Ni_2ZrSn and Ni_2ZrIn, L9